

HEATING CAPACITIES							
EN 442 (Watt/meter) (75/65°C) WATER TEMPERATURE							
TYPE	Height	Room temperature					
	(mm)	15°C	18°C	20°C	22°C	24°C	26°C
10 - P	300	363	341	327	311	297	213
	400	459	430	413	393	375	270
	500	553	519	498	474	453	327
	600	647	606	582	554	529	383
	900	929	871	836	796	760	546
11 - PK	300	556	521	500	476	455	330
	400	717	672	645	614	586	426
	500	867	813	780	743	709	514
	600	1009	946	908	865	825	598
	900	1380	1294	1242	1183	1129	823
21- PKP	300	863	809	777	740	706	514
	400	1096	1027	986	939	896	651
	500	1309	1227	1178	1122	1071	775
	600	1503	1409	1353	1289	1230	888
	900	1999	1874	1799	1713	1635	1176
22 - PKKP	300	1114	1045	1003	955	912	663
	400	1416	1327	1274	1213	1158	840
	500	1693	1588	1524	1451	1385	1002
	600	1949	1827	1754	1670	1595	1151
	900	2603	2441	2343	2231	2130	1534
33 - DKEK	300	1590	1491	1431	1363	1301	947
	400	2018	1892	1816	1730	1651	1198
	500	2418	2267	2176	2072	1978	1430
	600	2793	2619	2514	2394	2285	1646
	900	3797	3559	3417	3254	3106	2239

PHYSICAL VALUES						
TYPE	Nominal Size	Center Distance	Width	Length	Water Content	Weight
	(mm)	(mm)	(mm)	(L-mm)	(lt/m)	(kg/m)
	A	B	C			
10 - P	300	245	50	400-3000	1,7	6,4
	400	345	50	400-3000	2,0	8,4
	500	445	50	400-3000	2,4	10,3
	600	545	50	400-3000	2,7	12,3
	900	845	50	400-3000	3,3	19,0
11 - PK	300	245	56	400-3000	1,7	8,6
	400	345	56	400-3000	2,1	11,5
	500	445	56	400-3000	2,4	14,4
	600	545	56	400-3000	2,9	17,3
	900	845	56	400-3000	4,0	25,8
21- PKP	300	245	70	400-3000	3,2	14,9
	400	345	70	400-3000	4,1	19,7
	500	445	70	400-3000	5,0	24,4
	600	545	70	400-3000	5,9	29,2
	900	845	70	400-3000	7,6	43,7
22 - PKKP	300	245	105	400-3000	3,2	17,4
	400	345	105	400-3000	4,1	22,9
	500	445	105	400-3000	5,0	28,3
	600	545	105	400-3000	5,9	33,8
	900	845	105	400-3000	7,6	51,2
33 - DKEK	300	245	162	400-3000	5,0	25,7
	400	345	162	400-3000	6,1	34,1
	500	445	162	400-3000	7,2	42,4
	600	545	162	400-3000	8,3	50,1
	900	845	162	400-3000	11,2	76,5

WORKING AND TESTING PRESSURES				
PRESSURE TYPE	RADIATOR INSTALLATION TYPES	HIGHEST STATIC OPERATING +PUMP PRESSURE	HIGHEST OPERATING TEMPERATURE	TEST PRESSURE
		BAR	°C	BAR
Normal	Hot water	8	110	10,4
Upon Request	Hot water	10	110	13